cnPilot 2.0: Frictionless Adaptive Wi-Fi

Rapid Deployment

Easy Operation

Affordability with Quality

Vibhu Vivek

Senior Vice President, Products



Cambium Networks[™]



You are on Top of the World, When You are on the Everest!

cnPilot500 is
Deployed at the
Everest Base
Camp!

Copyright 2017 Cambium Networks, Ltd. All rights reserved.

Agenda

- 2m to 245km: Cambium's Wireless Fabric
- What are we introducing
- cnPilot Family
- Deployment Examples
- FAA: Frictionless Adaptive Architecture
 - Frictionless Rapid Deployment
 - Adaptive Easy Operation
 - Affordability with Quality
- cnPilot 2.0
 - Exapanding autoTune
 - FAA Controller adapts to your network
 - Reports, MSP
 - How are we expanding the portfolio
- Demo
 - Auto Pilot
 - cnMaestro Enhanced UI






2 m to 245 km -

We Have You Networked With Cambium's Wireless Fabric





What Are We Introducing?

cnPilot 1.0

- Creating Disruptive Value
 - 802.11ac Wave 1
- Easy Operation
 - Free, Secure and
 - Scalable Cloud


2016

cnPilot 2.0

- Performance/Quality at Disruptive Value
 - 802.11ac Wave 2
 - Portfolio Expansion
- Easier and Richer Operation
 - Rich controller: autoPilot- Controller AP
 - PCI compliance and Rogue AP detection
- Managed Service Provider Friendly
 - RESTful API for analytics and mgmt.
 - MSP View with multi-tenancy
 - Textual and graphical reports

2017






autoPilot Rich API



Reports MSP Tools



FrictionlessRapid Deployment

- Wireless Backhaul
- Zero Touch




Adaptive

Easy Operation

- Solution Adapts to Your Need
- autoTune: Automatically optimizing the Spectrum usage
- ezDetect: Troubleshooting is a breeze

ArchitectureAffordability with Quality

- Scalable and Robust
- Cost-Effective



Frictionless Rapid Deployment







ezAccess


Commissioning Guest Access Was Never So Easy

"ZERO TOUCH INSTALLATION IS GREAT," SAYS OZRELIC of Webformix. "...60 APs that we installed, we completed 15 hours of pre-configuration work in only 5 hours....."

Adaptive Easy Operation

Adaptive Architecture Adapts to your needs Cloud Controller

Controller AP



Control Maria Co



Single Pane of Glass

On Premise Controller

Affordable Quality...Robust







Forum and 24x7 Suppourt





Distributed Processing

Security, Supportability, Redundancy


Tough RF



Affordable Quality...Higher Performance at a Fraction of Cost




100 YouTube Streams on a cnPilot E400



cnPilot Deployments Across the World






City-Wide Connectivity, Ramos Arizpe, Mexico

- City-wide broadband and Public Wi-Fi
- 20,000 users in a 15 Square km area
 - Hospitals
 - Schools
 - Parks
 - Businesses
- Solution
 - Backhaul ePMP
 - Distribution
 - 3 ePMP 1000 AP
 - 51 Force 180 SM
 - Access 200 cnPilot E500 outdoor






Rapid Wireless WiFi Deployment in Lesbos, Greece








- 60w of solar panels.
- A 5GHz integrated ePMP-1000 SM pointing back to the PMP AP.
- 2.4GHz ePMP Hotspot powered from the Aux port on the SM.




Condominium Complex, Bend, Oregon

- Replace aging 802.11g system in multiple buildings and provide connectivity in common areas
- Improvement
 - 60 APs installed in 5 hours
 - 10x speed improvement
 - 60x capacity improvement
- Solution
 - Access cnPilot E400 indoor,
 Outdoor ePMP Hotspots







Deployments In Educational Institutions



USA - Schools

- Plymouth Sch District. Wisconsin, USA
- 5 School campuses
- E400: 140 200 APs

PTP: Inter-campus connectivity




India - Universities


- 6 large Universities ... and growing
- Largest: 540 APs and growing
- Tunneled controller architecture



cnPilot R: Home & Small Business Routers – for ISPs



- Reduce Total Cost of Operations (TCO)
 Nearly 70% of support calls are for indoors
 ezDetect: Get In-home user device Insight!
- Recoup your Investment \$\$ (Voice), Lease fees
- Over 50,000 cnPilot R deployed in last 1 year



Case Study: Holiday Inn Baruna, Bali



- cnPilot E400 for indoor
- cnPilot E500 for outdoor
- cnMaestro guest access
- Corporate and Guest SSIDs

cnPilot for Retail Win: IMPAX Media, North America

In store Wi-Fi: Delivering video content monitoring checkout



Selected for:

- Excellent video streaming performance
- High client density
- Price-performance



The 4 Billion Opportunity - Connecting the Unconnected



Internet.org

First

Express Wi-Fi Certified Vendor




- 100+ Villages connected to date
- Growing to over 2,000 hotspots!
- Cambium Wi-Fi & Cambium Backhaul

- Common Management controller
- Robust & Resilient, Low TCO
- Cambium support

cnPilot 2.0



Expanding autoTune Automatically optimizing the spectrum usage




When new dual band MU joins the network, cnPilot selects the best suited band for optimum performance of the network and MU

Air-Time Fairness Time No Air-time fairness Slower Client Faster Client PKT PKT PKT PKT With Air-time fairness With Air-time fairness Faster Client Faster Client Faster Client Faster Client Faster Client


Faster clients are given more opportunities to send pkts so that slower clients do not hog the air time thus optimizing network performance.

Dynamic Channel Selection



In the dynamic RF environment, cnPilot changes channels optimizing performance and avoiding the interference not only at client but also at various MUs

Dynamic Power Adjustment



When the central AP dies the neighboring APs increase their power to cover the hole




FAA Controller Adapts to Your Network

cnMaestro
Cambium or
Private Cloud



- No burden to IT staff
- Designed to scale massively

CnMaestro
On-Premise
VMs and Rackmount
Appliance




- For fully in-house deployments
- <u>Tunneling</u> data to the controller
- Rack Mount Appliance Controller
 100-150 AP



POI Q3 2017





- For 32+ AP deployments
- Simple & easy with local controller on AP


LBO Support: L2TP and GRE Tunnel Support on AP and Controllers to tunnel data to the svc provider gateway for inspection, accounting or recording



Reports

Data Report

Export Text Reports to 3rd party reporting tools




Microsoft Power Business Intelligence (BI) - Example

Fixed Graphical Reports

Downloadable Graphical PDF For:

- Last Day/Week/Month
- Site/WLAN/AP Gp
- Inventory/Alarm/Perf.



June 2017

Customizable Graphical Reports

- Schedule Auto e-Mail
- Preselect Content
- Customize Logo, Front Page, Header/Footer and Graphics
- Comparative KPI analysis with Global Data
- PCI Compliance



Q3 2017






Managed Service Provider Tools





Making the Migration From a SI to a MSP Easy

- Managed Individually or in Aggregate
 - Tenant View enables filtering and simplification
 - Tables and Tree allow for global comparison
- Tenant Accounts Have Full cnMaestro Features
 - Multiple Roles (Root, Administrator, Operator)
 - Dashboards, Statistics, Tools



Manage Tenant Account





Growing Eco-system Interop













&@many@more...



Strengthening The Home & Small Business Portfolio

cnPilot R200



Indoor 802.11n

- Single Band
- ATA+WiFi or ATA+Wi-Fi + PoE out
- IPV6

cnPilot R201



Indoor 802.11ac

- DualBand
- ATA+WiFi or ATA+Wi-Fi + PoE out
- IPV6

cnPilot R190



Indoor 802.11n

- Single Band
- ATA+WiFi or Wi-Fi Only
- IPV6

May




Strengthening The Outdoor Portfolio

cnPilot E500



Odtaoor 602.11ac Ollilli

- 360° Integrated Antenna
- Dual band 256 users, 16 SSIDs
- PoE Out, LTE Filters, IP 67







E501s – 90°~ 120° Integrated Antenna


• 802.11ac wave 1, 2x2, Dual band, 256 users, 16 SSIDs

- Rest of the features same as E500
 - LTE filter, PoE Out, IP 67 with Industrial grade components
- Tilt mount bracket
- Antenna: 10/12 dBi gain, 23 dBm front/back ratio









Strengthening The Indoor Enterprise Portfolio

cnPilot E400



Indoor 802.11ac

- Dual band, 256 users, 16 SSIDs
- 2x2



Indoor 802.11ac WV2

- Dual band, 256 users, 16 SSIDs
- 2x2



Indoor 802.11ac WV2

- Dual band, 512 users, 16SSIDs
- 4x4, 2 Ports, BLE

cnPilot E430w









- 4 Ports (?) PoE pass through
- Dual band 802.11ac wave 2
- PoE out for IP Phone

- 11ac Wv2 2x2
- BLE built-in
- 18 dBm Tx power

cnPilot E410: 2x2 11ac WV2, 16 SSID, 256 Users





cnPilot E600: 4x4 11ac WV2, 16 SSID, 512 Users








autoPilot Rich API



cnMaestro Controller

Reports MSP Tools



Demo and Q&A

