


LINKPlanner 5.0 Webinar

David Hensley
RF Planning Systems Engineer



Cambium Community

- Learn from network operators around the world
- Community Forum
 - Products
 - Network planning
 - Languages
 - Business issues
- Knowledge Base with technical detail documents
- Submit development ideas
- Real-world connectivity stories



Social Media

- Follow Cambium Networks to get the latest information
- Facebook
- Google+
- Instagram
- LinkedIn
- Twitter
- Weibo
- YouTube



LINKPlanner Feedback

Check the Community Forum to see if someone's already asked your question:

- Cambium Networks Community > Forums > Planning & Management > LINKPlanner
- http://community.cambiumnetworks.com/t5/LINKPlanner/bd-p/forums_management_link_planner

For a more private discussion

- Send an email to linkplanner@cambiumnetworks.com

LINKPlanner 5.0 Webinar: Agenda

- Obsolete Products: PTP 300, PTP 400, PTP 500, & PTP 600
- Clutter
 - Obstruction loss without clutter ITU-R P.526-10, Cascaded Knife-Edge Method
 - Obstruction with clutter ITU-R P.526-14, delta Bullington Method
 - See User Guide Pages 14, 70, & 273
- Move connected site
- Remote an AP
- Change beamwidth, orientation, and range on Offline Map
- Select individually overlapping APs
- Groups—divide network into different layers
 - Hub level reports
 - Best Server Analysis
 - Hot standby coverage
 - Performance at a Hub



Cambium NetworksTM